

Fine coat

A scale remover used by professionals that contains a special treatment agent. Easily removes scale by simply applying it and washing it with water, saving you the hassle of wiping it off! Removes scale without damaging your car.

[Ideal for such cases!]

AV6168-0001

from scale and acid rain

coated surface for a long time.

Easy to remove dirt such as wax stains, scale, tar pitch, and color-matching related filth! It can even be used to remove yellowing caused by lights!

Keeps the gloss of a new car for a long time!



Clear Coat

AV6128-0100

You can wash and wax your car at the same time. Easy to apply to the glass, easy to wipe. The water-repellent effect lasts for a long time and protects the coated surface.



■Selling unit: 1

■Selling unit: 1

A combination of final finishing agent and polymer coat for scale removal. Ultra-fine particle compounds and polymers smooth out the irregularities in the coating film, leaving it in a mirrored state. Easy to wipe off. Can be used for metallic paint (dark paint), pearl paint, and



more than 6 months! Foam Clean Glass Super Coat

AV6135-0100

This product forms a fluorine coating on the glass surface to protect it from oil film, water stains, and acid rain for a long period of time, and to prevent dirt by its super water-repellent effect, Ideal for cars, ships, window glass,



Excellent for removing wax and silicone before painting! Powerful and quick-acting. Can be used for everything from light-colored cars to metallic-colored cars. Also great for removing oil stains from hinges, etc. Easy to work with and can be washed with water



AV6170-0100

painting booth.

All One Hard AV6138-0025

base for a long time.

Packaging: 250cc x 24pcs/d

stainless steel, plating, etc.

A gloss restorer for automobile tires, foil, furniture, etc. It forms a colorless and transparent ultra-thin film, which is excellent in durability and maintains the features of the

Prevents stains from adhering to automobile wheels (aluminum, plating, steel), etc.

· Prevents stains from adhering to aluminum panels

· Restores gloss of and prevents stains on plastic

The foam easily and powerfully removes all

kinds of dirt without damaging the substrate,

including water stains, insects, PP,

compounds on rubber and putty polishing

liquid on tires, which are difficult to remove even after washing the car. Removes dirt

such as mist adhering to the far-infrared dryer reflector, the heater tube, and the

AV6113-0100



Service & Maintenance Goods Catalog Vol.8

SERVICE & MAINTENANCE GOODS CATALG vol.8

http://www.altia.co.jp/

Work



In each maintenance scene, Altia is always experienced, proven and reliable.

Uniform and



Plant



Chemical



Car Cleaning System

Forms a water-repellent reinforcing film to protect the coating

The coating agent can be applied immediately even when the

car is still wet after washing. Contains silicon, a component of

glass, which makes it highly durable and dirt-resistant. Forms a water-repellent reinforcing film to protect the luster and

It is a package system for car detailing.

We offer a car cleaning system consisting of 5 products in a total package

Starting from a low cost, the combined force of high spraying and cleaning ability greatly improves work efficiency. No power required other than air compressor.

It also contributes to reducing running costs, and is recommended for use in small

Because of its excellent spraying and cleaning effects, the water-saving effect is obvious, which is conducive to saving resources and protecting the environment. It is a new car detailing product in line with the ecological age.

Safety Notice











thorough cleaning

■Selling unit: 1

In order to use the product correctly and safely, please read the Instruction Manual carefully before use

ALTIA Co., Ltd.

1-8-12 Harumi, Harumi Triton Square Z-6F, Chuo-ku, Tokyo 104-6206 Tel: 03 (6777) 0065

 Please note that specifications are subject to change without notice. Please contact your local sales company or Altia branch for ordering and consultation.

Sales outlet





ALTIA Homepage: www.altia.co.jp/

Work supplies

АПА



Polyethylene Sheet Cover - Roll

AW7010-0000 Thickness: 0.03 mm/Transparent/200 pieces/roll x 2

■Selling unit: 1

Rolled (perforated), transparent, soft and stretchable material.



Polyethylene Seat Cover (Boxed)

AW7010-0000

car and other and painting.

Various (car and

car covers that keep the inside other parts clean during body

body

of the work

■Selling unit: 1

Thickness: 0.025mm / Translucent / 200 pieces

Stored in box. A semi-transparent, slightly stiff material. Hight strength.



Car Polyethylene Cover

It is used to protect the car from paint splashes when painting the outer walls of B&P workshops and buildings. One-touch type with rubber, so mounting is easy. In addition, mounting is easy because it comes with a center mark.



Work Seat Cover (2 pieces/set)

AW4808-0000

■Selling unit: 1 Material: Cotton non-woven fabric Back: Urethane laminate / 2 pieces

The non-woven fabric made of cotton material suppresses the generation of static electricity. Machine washable.



AWSS15-000S ■Selling unit: 1 ntents: For 1 car e: Width 3500 x Length 6000 mm terial: Polyethylene



AWSS15-000M ■Selling unit: 1

ontents: For 1 car ze: Width 3800 x Length 6600 mm aterial: Polyethylene



size for one-box RV

AWSS15-000L ■Selling unit: 1

Contents: For 1 car Size: Width 3500 x Length 6000 mm erial: Polyethylen



Red AW4704-000R

Uses rubber magnets and special plastic hooks

Fender Cover (2 pieces/set)

Excellent cost performance, with emphasis on applicability to the vehicles

AW4001-0000 fabric (back) Size: 120 x 50 cm

■Selling unit: 1



Red AWSS10-0066

Cuts are made along the tire house to improve workability.



Improved shape to suit large bumpers.



Front Grille Cover

AW4002-0000

back) Size: 206 x 63 cm

■Selling unit: 1

Excellent cost performance, with emphasis n attachability to the vehicles.



Steering Mate

Box size: H110 x W550 x D110 mm Contents: 500 pieces/roll Material: Acrylic by Sumitomo Chemical

Selling unit: 1

A special vinyl material with excellent extensibility is used, and fits a steering range of up to 580 mm without using rubber. It can be separated more easily than the perforated ones making it convenient to use.



Box Storage Handle Cover

Box size: H540 x W420 x D420 mm Contents: 250 pieces x 2 boxes Material: Polyethylene, 2 strips of rubber

Selling unit: 1

Easy to put on and take off from the steering wheel thanks to the use of elastic material!



Shift Lever Cover (500 pieces/set)

AWSS10-0064 ■Selling unit: 1

Size: 13 0 x 17 0 Thickness: 0.05 mm Material: EVA film (Polyethylene)/500 pieces

The EVA material used prevents slipping and provides an excellent fit.



Floor Matte Cover (500 pieces/set)

AW7051-1000 Material: Kraft paper/500 p

■Selling unit: 1



S size/H1050 × W700mm

M size/H1150 x W850 mm

L size/H1300 x W1000 mm

AWSS10-0083 AWSS10-0084 AWSS10-0085

■Selling unit: 1

Contents: 100 pieces Material: High density polyethylene + calcium carbonate

A tire storage bag that allows you to write down the customer's name and tire position. There are 100mm wide gussets on the left and right sides, so tires can be easily stored.





AW9374-0000

CS8600-0000

. easily break

CS6945-1000

■Selling unit: 1

With LED

■Selling unit: 1

Easy and clean sweeping with about 20 times the cleaning efficiency of a broom. No power required, easy and eco-friendly! The dusty areas that are difficult to clean with a broom can also be cleaned with

a certa	in degree	e of contr	ol over scatt	ering	!))
Working width (mm)	Work efficiency (m²/h)	Tank capacity	Size (mm)		Weight (kg)	/	- /
800	3000	40	800×900×35	0	17		- 1
Number of main brushes	Height adjustment (main brush)	Number of side brushes	Height adjustment (side brush)			6	1
2	×	2			100		-
				è		1	

A compact and powerful dust collector that is lightweight and easy to carry

Suction power collection capacity Collection capacity Collection capacity Collection capacity Collection Capacity Capaci

 Wet and dry dual use
 300W
 15L
 12L
 H400 x D366 x W334 mm
 7.9kg
 Cloth

With LED, it is convenient for working in dark places

Floor Scrubber

CS6930-00ZG

■Selling unit: 1 Battery: DC1 2V/6 5A x 2 pieces/ Continuous use time: About 2 hours

This is a general-purpose scrubber that greatly reduces the wiping work after scrubbing the floor. A squeegee with good floor followability collects dirty water without leaving any residue. It eliminates the hassle of wiping twice.

> Robot Cleaner AW9377-0000



For cleaning oil stains! Hand washing detergent UGEL

AV7340-0000

■Selling unit: 1

Capacity: 6kg (powder type)/Packaging: 6 kg/box

It is an industrial detergent with excellent cleaning power and economy. Apply an appropriate amount of this product to the surface to be cleaned and rub it without water. If the oil stain emulsifies and rises, rinse well with water. It does not contain phosphate, which is said to cause eutrophication (red tide source) in rivers, seas and lakes. It exerts outstanding cleaning power against stubborn oil stains and removes them



EE6813-2000

Multi-purpose Detergent AV7380-0000

Environment-friendly Emergency Device for Oil Dispersion and Oil Leakage

[Oil Sponge] Quickly adsorbs oil on road and floor surfaces. Adsorbs

Removes dirt with excellent detergency Disperses the

oil on the surface and in the water and breaks it down

Just apply it as it is!

EE6817-1000


Contents: Oil sponge, oil cleaner

away the oil without leaving an oil film.

olume: 5L x 4 pieces

We use plant-based ingredients such as palm, corn, and soybeans. It is widely used for cleaning and deodorizing in public institutions, food factories, maintenance factories, ships, etc. It can be used to clean most organic dirt (animal, plant and petroleum related dirt) from stubborn grease stains on all materials to blood stains on fabrics.

■Selling unit: 1



■Selling unit: 1

ted. Dilute it appropriately according to the dirt.) ② Leave it for 1 to (3) Brush the sprayed area with a brush. (4) Rinse with water

but it can also be used as an industrial cleaning agent.

[Cleaning function] Not only can it remove dirt, oil, dust, ink,

etc. that have adhered to the surface or penetrated into gaps.

materials, it does not affect the surfaces of metals, plastics,

Volume: 200cc (20x concentrated as standard)

rubber, concrete, wood, etc.

■Selling unit: 1

Refills are available, so please

refill as many times as you like.

Oil Wipe Towel White/Red

EE6819-0000

EE6819-1000

maintenance, as it has very little fluff!

recycled fibers.

Oil Cleaner

Sheet size: 25.1 x 33.2 cm/Quantity: 200 sheets/roll

Quantity per box: 2 pieces/Color: Natural/Material: Cellulose


It has excellent absorbency and is difficult to break, so it is

effective against stubborn oil stains if used in conjunction

with oil cleaners and oil sponges! It is also used for machine

Soft to the touch, it is difficult to break even when wet, and it

is ideal for wiping away grease and dirt! Made with 50%





Paper Wiper

■Selling unit: 1

■Selling unit: 1 AW6950-0000

Sheet size: 330 mm wide x 1.110 sheets, perforated every 285 mm

Roll type with perforations that can be cut into a convenient size. Easy to cut when using, economical to use without

Paper Wiper Dedicated Stand

AW6950-1000 ■Selling unit: 1

Floor standing type that can be placed directly on the floor.



[Effect on substrate]Since we use environment-friendly raw Floor Cleaning Agent 18L

AV8042-0000-

It is an industrial cleaning agent that removes grease and dirt cleanly. It demonstrates excellent detergency from dirt adhering to machine parts to factory floors.



■Selling unit: 1

Special Oil Adsorption Mat

EE6820-0000 ■Selling unit: 1 Size: 38 x 48 x 0.5 cm/Quantity: 100 pieces/box Color: White/Material: Natural material

Absorbs various oils, greases, transmission fluids, coolants and other non-water oils. With a reinforced cover sheet on both sides, it is durable even when saturated with the adsorbed oil



Special Oil Boom

EE6820-1001 ■Selling unit: 1 Size: 10.2 x 48.2 cm/Quantity: 10 pieces/box

> It floats on the surface of the water while absorbing various liquids and hydrocarbons other than water. It is ideal for oil absorption in oil-water separation tanks, oil wells, reservoirs, and drains.

> > Air Conditioner Power Saving 25

EE1500-0000

■Selling unit: 1

Set contents: Air Conditioner Power Saving 25 400g, brush, tray

Just by applying it to the outdoor unit of your air conditioner, you can save up to 15% of your power consumption during hot summer days. (The reduction effect varies depending on anyone can apply it in 10 to 20 minutes. One can is for two units.

Measurement results of temperature difference and power consumption

	Air Conditioner Power Saving 25	Unprocessed	Difference
Surface temperature (°C)	38.6°C	56.2°C	17.6°C
Power consumption (W)	221W	295W	74W

Cases in which the power used was reduced by 25% by reducing the surface temperature by about 18°C.

'Test conditions: On a certain day of August, the test was carried out with an outdoor unit installed on the ventral on on the south side of the apartment.





EE6925-0000

Capacity

Material: Recycled polypropylene (PP)

Size

It comes with separate seal (attached to the lid). The seal will be affixed by

70L H650×D500×W320mm Ivory 2.7kg

7.5MPa 6 L/min Single-phase 12.5A 5m 100V

Size

17.8kg W368 x L367 x H591 mm











High-pressure Washer ■Selling unit: 1 CS8900-0000 ■Selling unit: 1

8.0MPa 6 L/min Single-phase AC

Mass Size

6.6kg W300×L290×H710mm











Color Weight
























Easy Polisher

CS6934-0000

Cleaning width: 340 mm (14 in) Size: W38 x I 30 x H113 4 cm

> It is a polisher that does not sway so anyone can use it with

> confidence. It can be used to clean various

> places such as

■Selling unit: 1

factories,

washrooms etc.

■Selling unit: 1

Power cord: 10m

et and Dry Dual Use Cordless Cleaner (main

For cleaning of future offices, stores and warehouses, Two 18V batteries can be used to clean approximately 500 m² area. (When using 2 x 5 0Ah can be used to dean approximately 300 In 3 area, when using 2 x 5.04 lis easy to throw the trash into the dust box. 2-port quick charger can charge 2 batteries at the same time (6.0Ah \rightarrow 55 minutes, 3.0Ah \rightarrow 22 minutes, sold separately). With the help of an automatic driving control function, you can limit places you do not want it to enter.

Size (mm) Weight

Weight when two batteries (BL1830) are installed

H180 x D460 x W460 mm 7.8kg Cleaning starts in 1/3/5 hours

AW9375-0000

It is economical because it has a self-priming function and can use pooled water. In addition, the large rubber wheels make it easy to move over steps. The retractable handle saves space when stored. A 15m special high-pressure hose (professional specification) is soft and does not

Application	Suction	Suction power		Water suction capacity
Wet and dr dual use	y 22	2W	670ml	110ml
Continuous use time (rough indication)		Weight	В	attery
5.0AH	About 48	0.85kg	Lithium	i-ion battery

The weight is without battery













[Oil Cleaner]



Oil sponge 1. 6kg

EE6810-2000

t adsorbs oil when it is applied to spilled oil, so oil

treatment is easy. It can be used for all petroleum

products, animal oils and vegetable oils. The oil sponge that has absorbed the oil can be thrown in the trash

can! It can also be used when modifying oil spill

Capacity: 1. 6kg









nat were thought to be impossible to do so Anyone can applies it easily.

It can also adhere to oil-covered concrete floors

Floor paint series with good adhesion! even if it is covered with oil (basic color

АПА SERVICE & MAINTENANCE GOODS CATALG VOL8

Products from brands such as Dickies, brembo are available!















Long Sleeve Inner Shirt - Black

M: AW9 0 1 8 -B C0 M L: AW9 0 1 8 -B C0 L LL: AW9 0 1 8-B C LL Ingredients: 2-6% Polyester, 2-3% Nylon, 6% Polyurethane



Long Tights - Black

M: AW9 0 1 9 -B C0 M L: AW9 0 1 9 -B C0 L LL: AW9 0 1 9 - B C LL Ingredients: 2% polyester, 2% nylon, 3% polyurethane, 6%

Thin, light, warm, and comfortable to wear, it quickly absorbs and dissipates moisture. Moderate tightness makes it comfortable to wear.



AW8950-1000~AW8950-9000

Ingredients: 65% polyester, 35% cotton

Casual caps in a wide variety of colors. There is an adjuster on the back to adjust

We also have safety shoes from Simon and Midori Anzen!



Lightweight A +

AM8618-4240~AM8618-7290 Size: 24 to 29 cm (22.0 to 23.5 cm for some) Color: Black, blue, black/bed, bed



Sneaker Type Safety Shoes

AM4001-0235~AM4003-0300 Size: 23.5 - 30 cm



Safety Boots AM7511-0235~AM7511-0280



Sneaker Type Safety Shoes

AM4004-0235~AM4005-0300 Size: 23.5 - 30 cm Color: Navy, white



AW4205-000S~AV 05-003L Size: S/M/L/2L/3L ■Selling unit: 1

Ingredients: Nylon fabric (urethane resin) for palm area; cotton, polyester, etc. for hand back area

Permeable materials made with a patented manufacturing method are used, so it does not get stuffy inside the gloves, the urethane part does not peel off, and they can be used while maintaining their strength.



AW9700-0000

■Selling unit: 1

Size: Free size/Weight: Approx. 400g Material: ABS resin

Protects your head from the dangers of falling objects and falls Can also be used as a tool for preventing disasters



Protective Glasses

AW7170-0000 ■Selling unit: 5

Lightweight protective glasses with a sporty design.



AW7167-1000

It is a pair of glasses that can be worn over prescription glasses. It combines functions that improve fit.



■Selling unit: 5

Nitrile Ultra-thin Gloves S-LL (White)

AW7234-PP0S ~ AW7234-PPLL ■Selling unit: 1

- Because the nitrile material is natural rubber, it has superior puncture strength, durability, and oil resistance compared to ultra-thin types made of vinyl chloride and polyethylene, making it ideal for machine maintenance and research work.
- With a thinness of 0.1 mm, it maintains a delicate fingertip feeling.
- Hem type with reinforced opening edge.
- It can be used for both left and right hands, so it can be used efficiently
- Low-powder type with low amount of powder.
- With a tissue-box type package, it can be taken out easily and smoothly.

Size	Length	Palm width	Length of middle finger	Quantity
S	25 cm	17.0 cm	8.3 cm	
M	25 cm	19.0cm	8.9cm	100 pieces
L	25 cm	21.0cm	9.2cm	100 pieces
LL	25 cm	22.6cm	9.3cm	



AW7169-0000

These goggles are compatible with organic solvents and can be wiped with thinner to remove paint mist, etc. that adheres to the lens surface. Glasses and masks can be used together. Lens replacement is possible

Insulating protective gear is essential to prevent electric shock hazards when servicing hybrid and EV vehicles!



Covers for Low Pressure Rubber Gloves

Low Pressure Rubber Gloves

AW0600-0325

Material: Natural rubber

AW0600-0323 Large AW0600-0324


It can be used to protect the body of workers to prevent

electric shock accidents. Excellent workability and

		Large AW0600-0317	
Extra Large	AW0600-0318	Material: Synthetic polyurethane	■Selling unit: 1

Used as a protective cover for low pressure rubber gloves It provides excellent grip and does not reduce workability.

Size	Total Length	Thickness	Weight	Applicable voltage
Small				DC 750V or less
Large	270 mm	0.5 mm	70g	or AC 300V or less



Rubber Mat for Electrical Insulation

AW0600-0306

■Selling unit: 1

electric shock accidents. It has ribs to prevent slipping.

X The ordered length of mats is in meters. (Cutting lengthwise is free of charge) Cutting widthwise is possible for a fee.

Size	Weight	Thickness	Shape	Applicable voltage	Test voltage
1 x 12 m		Concave side: 4 mm; convex side: 6 mm	Corrugat ed	7,000V or less	20,000V 1 minute



770 Insulating Start Set

AW0600-0300 ■Selling unit: 1 A set of insulating protection equipment for HEV, EV and PHV maintenance

♦Contents · Thin low-pressure rubber gloves (for DC 750V or less/AC

300V or less) - Low-pressure sheet 800 \times 120mm (for DC750V or less/AC300V or less)

· Voltage detectot for electric vehicles

Vinyl case for storing 3 items



Low Pressure Rubber Gloves -Thin Type

Blue AW0600-0315 Material: Natural rubber

It can be used to protect the body of workers to prevent electric shock accidents. Excellent workability

Size	Midfinger length	Total Length	Thickness	Weight	Applicable voltage	Test voltage
Free	8.2 cm	270mm	0.5mm	82g	DC 750V or less or AC 300V or less	3,000V 1 minute

Insulating Safety Shoes with Rubber Soles

AM1108 ■Selling unit: 1

Size: 23.5 - 2.8 cm/Color: Black/Manufacturing method: V type Toecap: Resin / Instep: Synthetic leather made of cowhide and chrome (glass fiber added) / Insole: Half Insole Sole: 1-layer synthetic rubber sole/Standard weight: 1,130g/pair

They are work shoes developed for jobs that may come into contact with They are win s nices developed in plots that may content into Unitac wint low-voltage electricity, such as machine maintenance and electrical work in the factory. In the unlikely event that you touch a low-voltage electrical circuit of AC300V or less, the rubber sole has an electrical resistance of 109Ω or more to reduce electric shock. It can also withstand AC50Hz3KV voltage for 1 minute.

Deterioration of cracks and fissures will be accelerated on the plastic products due to moisture and dirt. Since the use of low-pressure rubber gloves damaged during maintenance of hybrid and EV vehicles involves the risk of electric shock, regular inspection and replacement is recommended.